

Ebglyss

Dubai · access guide

How to access Ebglyss for moderate-to-severe atopic dermatitis in adults and adolescents 12 and older from Dubai: 2026 pathway via DHA-coordinated dermatology services, EDE registration, and named-patient import where required | Reserve Meds

By Reserve Meds clinical & regulatory team. Last reviewed 2026-05-20.

Dubai operates a dense dermatology specialty layer for moderate-to-severe atopic dermatitis. Rashid Hospital (DHA tertiary), Dubai Hospital, Latifa Women and Children Hospital (paediatric anchor including adolescent dermatology bridge), Mediclinic City Hospital, Mediclinic Parkview Hospital, American Hospital Dubai, Saudi German Hospital Dubai, King's College Hospital London Dubai, NMC Specialty, NMC Royal Hospital DIP, the Aster Hospitals network, Dr Sulaiman Al Habib Dubai, Magrabi Dermatology, and Iranian Hospital Dubai all run dermatology programmes covering moderate-to-severe atopic dermatitis in adults and adolescents. Ebglyss (lebrikizumab-lbkz, Eli Lilly and Company) is the humanized IgG4 monoclonal antibody that binds soluble IL-13 with high affinity and blocks IL-13 receptor signalling. FDA approval landed in September 2024 for moderate-to-severe atopic dermatitis in adults and adolescents 12 years and older weighing at least 40 kg. UAE EDE (Emirates Drug Establishment) registration for Ebglyss is in early rollout in 2026; most Dubai patients access Ebglyss via the named-patient European or US import pathway while in-country registration catches up. Dubai-emirate dispensing is coordinated through DHA Pharmaceutical Affairs alongside MOHAP federal supply where applicable.

This page leads with the Ebglyss pathway for adult and adolescent (12 and older, at least 40 kg) AD and includes an explicit vs-Dupixent positioning section.

Why Ebglyss, and why now

Ebglyss is lebrikizumab, a humanized IgG4 monoclonal antibody held by Eli Lilly and Company. The molecule binds soluble IL-13 with high affinity. Lebrikizumab does NOT bind IL-4 (the central mechanistic distinction versus Dupixent, which targets IL-4Ra and blocks both IL-4 and IL-13).

EASI-75 response in approximately 50 to 60 percent at week 16 monotherapy; approximately 70 percent with TCS.

FDA approval September 2024. EMA approval November 2023. UAE EDE registration in early rollout. September 2024 FDA approval places Ebglyss in the less-than-24-month NPP-pathway-primary framing window for Dubai in 2026.

Reserve Meds does not promote one biologic over another. Competing class includes Dupixent, Adbry (tralokinumab adult only), Cibinqo, Rinvoq, Nemludio.

What Ebglyss is, in plain language

Subcutaneous injection. Pre-filled pen or pre-filled syringe at 250 mg per device. Self-administered at home after training; caregivers for adolescents. Cold-chain storage at 2 to 8 degrees Celsius; room-temperature stability up to 7 days unopened.

Dosing: - Week 0: 500 mg loading. - Week 2: 500 mg. - Week 4 to week 14: 250 mg q2w. - Week 16 response assessment: responders to 250 mg q4w maintenance; partial or non-responders continue q2w through week 24.

Chronic therapy.

Eligibility at a Dubai dermatology clinic

1. Moderate-to-severe atopic dermatitis by IGA, EASI, BSA, DLQI. Inadequate response to topical therapies. 2. Age 12 years or older. 3. Body weight at least 40 kg. 4. Treatment history. Documented prior failure of topical therapy. Many insurers require prior systemic or prior biologic / JAK inhibitor trial. 5. Baseline laboratory panel. CBC with eosinophil count, comprehensive metabolic panel, total IgE (informative), pregnancy test for women of reproductive potential. 6. Helminth screen for patients with epidemiologic risk. 7. Active serious infection: defer. 8. Vaccination status review. Live vaccines not recommended during therapy. 9. Conjunctivitis history review. Approximately 7 percent develop conjunctivitis on Ebglyss (lower than Dupixent at 10 to 20 percent). 10. Pregnancy and lactation discussion.

A Dubai patient should arrive with the most recent dermatology documentation, complete treatment history, baseline screening labs, vaccination record, and the insurance pre-authorisation paperwork.

The Dubai prescribing and supply picture, plainly

UAE EDE-coordinated federal registration; Dubai-emirate dispensing through DHA Pharmaceutical Affairs. Ebglyss registration in early rollout. Where registration progresses, in-country pharmacy dispensing applies; where it has not (the majority case in 2026), named-patient European or US import covers the case.

1. **Prescribing physician:** DHA-licensed dermatologist or paediatric dermatologist at Rashid Hospital, Dubai Hospital, Latifa Women and Children Hospital (adolescent dermatology bridge), Mediclinic City, Mediclinic Parkview, American Hospital Dubai, Saudi German Hospital Dubai, King's College Hospital London Dubai, NMC Specialty, NMC Royal DIP, Aster, Dr Sulaiman Al Habib Dubai, Magrabi Dermatology, Iranian Hospital Dubai. 2. **Pharmacy dispensing:** hospital outpatient pharmacy or licensed community pharmacy with cold-chain handling. Ebglyss requires 2 to 8 degree Celsius transport and storage. Named-patient import supply lands at the prescribing hospital outpatient pharmacy under cold-chain handling where applicable. 3. **Insurance pre-authorisation:** Saada and Enaya for Emirati nationals; DHA employer plans and commercial covers (AXA, Bupa Global, MetLife, Oman Insurance, Daman, Cigna, others) for residents. Pre-authorisation patterns still establishing in 2026. 4. **Self-injection training:** at the prescribing dermatologist's clinic or via Lilly-coordinated nurse educator visit. 5. **Ongoing monitoring:** dermatology follow-up at week 4, 12, 16, then quarterly through year one. Conjunctivitis surveillance at every visit. Eosinophil count at baseline and periodically.

The 2026 pathway, step by step

Week 0 to 1: documentation pack assembled. Named-patient import paperwork initiated where applicable.

Week 1 to 6: pre-authorisation review and import processing.

Week 6 to 8: first dispensing. 500 mg loading dose and self-injection training.

Week 2 of therapy: second 500 mg loading dose.

Week 4 to week 14: 250 mg q2w.

Week 16: response assessment. Responders to 250 mg q4w; partial or non-responders continue q2w through week 24.

Week 24 and beyond: q4w maintenance for responders.

Cost band and insurance positioning

US WAC list price approximately USD 3,400 per 250 mg device. Induction-and-loading phase approximately USD 34,000 at list. q4w maintenance phase for responders approximately USD 44,000 per year at list.

AED-equivalent annual cost band for q4w maintenance responder regimen approximately **AED 145,000 to 200,000** at list price. Induction-and-loading phase adds approximately AED 125,000 to 150,000 in the first year. Saada and Enaya for nationals; DHA employer plans and commercial covers for residents reduce out-of-pocket exposure substantially.

The annual q4w maintenance cost band is roughly one-half of the Dupixent every-2-week adult regimen on an annual basis.

What to expect on Ebglyss

Itch reduction often noticeable within 2 weeks. EASI-75 in approximately 50 to 60 percent at week 16 monotherapy; approximately 70 percent with TCS. Responders on q4w maintenance maintained EASI-75 in approximately 80 percent through week 52.

What to monitor

Conjunctivitis at approximately 7 percent (lower than Dupixent). Ophthalmology referral at first sign that does not resolve within 48 hours.

Eosinophil count at baseline and periodically. Transient eosinophilia common and usually benign.

Injection-site reactions, hypersensitivity (rare anaphylaxis), helminth surveillance, live vaccines avoided during therapy.

Long-term safety approximately 2 years post-FDA-approval; profile reassuring.

Ebglyss versus Dupixent

Both appropriate first-line biologics. Reserve Meds does not promote one over the other.

- Mechanism: Ebglyss IL-13 selective; Dupixent IL-4Ra blocks both IL-4 and IL-13. - Indication breadth: Dupixent six indications; Ebglyss AD-only. - Age range: Dupixent down to 6 months; Ebglyss 12 and older at 40 kg. - Conjunctivitis rate: approximately 7 percent on Ebglyss vs 10 to 20 percent on Dupixent. - Maintenance dosing: Ebglyss q4w from week 16; Dupixent adult AD q2w throughout. - Cost band: Ebglyss q4w roughly half annual list of Dupixent q2w. - Long-term safety dataset: Dupixent 7-plus years; Ebglyss approximately 2 years post-FDA. - Dubai access pathway: Dupixent broadly EDE-registered; Ebglyss in early EDE registration rollout, most 2026 patients access via named-patient European or US import.

The clinical decision sits with the treating dermatologist.

Religious, ethical, and family-logistics framing

Ebglyss is a humanized IgG4 monoclonal antibody produced in mammalian cell culture. No donor element. The classical analogy to vaccines and other recombinant biologics holds in Dubai Islamic medical ethics.

Self-injection at home is the standard; clinic-administered dispensing available.

Cold-chain storage in the Dubai summer climate: home refrigerator placement, insulated cold-chain bag for travel, 7-day room-temperature allowance.

Moderate-to-severe AD carries psychosocial-burden dimensions. Lebrikizumab itself has no CNS or mood signal.

Ramadan: q2w and q4w regimens unaffected by fasting.

Hajj and Umrah travel: meningococcal conjugate (inactivated) permitted and recommended.

When Ebglyss is the wrong drug

- Age under 12 or weight under 40 kg. - Mild AD. - Active conjunctivitis with poor ophthalmology support. - Active helminth infection: treat first. - Hypersensitivity to lebrikizumab or excipients. - Active serious infection: defer. - Need for live vaccination in near term. - Pregnancy: limited data; individualised. - Comorbid type 2 inflammation conditions: may favour Dupixent.

Alternatives: dupilumab, tralokinumab (adult), nemolizumab; abrocitinib, upadacitinib (JAK class black-box warning).

What Reserve Meds does on this case

We are a US-based concierge coordinator. We are not the prescriber and not the dispensing pharmacy. On a Dubai Ebglyss case we build the documentation pack with the treating dermatologist's office, confirm UAE EDE registration status (and the appropriate dispensing pathway including named-patient European or US import where required), run the insurance pre-authorisation conversation alongside the clinical conversation, coordinate the cold-chain supply logistics, organise self-injection training and the baseline screening, set up the ophthalmology co-management plan where indicated, and stay with the case through the first year of dosing with handoff to the local prescriber. Clinical decisions remain with your treating dermatologist.

Reserve Meds's role

US-based concierge coordinator for cross-border specialty medicine. We are not the prescriber, not the dispensing pharmacy, and not the manufacturer. All clinical decisions remain with your treating physician.

Reserve Meds

reserved for you.

Composite case examples. This document is for general information only and does not constitute medical advice. Please consult your treating physician.

Reserve Meds is in pre-launch. Published timelines and cost ranges are indicative, not guarantees.

reservemeds.com · hello@reservemeds.com